

Certificate of Approval

This is to certify that the Director of Energy Safety has approved the electrical equipment described hereunder.

Registered Declarant: Prysmian Australia Pty Ltd

1 Heathcote Road, Liverpool, NSW 2170

Required Marking: ESV180150

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Energy Safe Victoria prior to the equipment being supplied or offered for supply.

Notification must be given to Energy Safe Victoria of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment: Level 3

Supply Flexible Cord Supply Flexible Cord

Relevant Standards: AS/NZS 3191:2008 Expiry Date: 25 March 2023

DATE OF APPROVAL:25 March 2018 Page: (2/14)

Conditions of Approval:



Approval details

| Model | 250/440V 1.0x2C CU/V90/5V90 |
|------------|-----------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.0X2C CU/V90/5V90 |
|------------|-----------------------------|
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.0X2C CU/V90/5V90 GREY |
|------------|-------------------------------------|
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.0X2C CU/V90/5V90 |
|------------|-----------------------------|
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.5X2C CU/V90/5V90 |
|------------|-----------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.5X2C CU/V90/5V90 | |
|-------|-----------------------------|--|
| Model | | |
| | WHITE | |

Director of Energy Safety

DATE OF APPROVAL:25 March 2018 Page: (3/14)



| Rated at | Input: 250/440V, - |
|------------|---|
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| | |
| Model | 250/440V 1.5X2C CU/V90/5V90 |
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| N F 1 1 | 0.50 / 4.00 / 1. 50 / 0. GV / 10 / 0. / 50 / 0. |
| Model | 250/440V 1.5X2C CU/V90/5V90 |
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| | |
| Model | 250/440V 2.5X2C CU/V90/5V90 |
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| N. 1.1 | 250/4403/253/20 GYYNY20/53/20 |
| Model | 250/440V 2.5X2C CU/V90/5V90 |
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 2.5X2C CU/V90/5V90 |
|-------|-----------------------------|

GREY

Input: 250/440V, -

PRYSMIAN

250/440V 2.5X2C CU/V90/5V90

Director of Energy Safety

19 Lewion

DATE OF APPROVAL:25 March 2018 Page: (4/14)

Model

Rated at Trade Name

Comments



| | ORANGE | |
|------------|--------------------|--|
| Rated at | Input: 250/440V, - | |
| Trade Name | PRYSMIAN | |
| Comments | | |

| Model | 250/440V 4X2C CU/V90/5V90 |
|------------|---------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 4X2C CU/V90/5V90 |
|------------|---------------------------|
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 4X2C CU/V90/5V90 GRE |
|------------|-------------------------------|
| | Y |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 4X2C CU/V90/5V90 |
|------------|---------------------------|
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.0X3C CU/V90/5V90 |
|------------|-----------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |



| Model | 250/440V 1.0X3C CU/V90/5V90 |
|------------|-----------------------------|
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.0X3C CU/V90/5V90 |
|------------|-----------------------------|
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.0X3C CU/V90/5V90 |
|------------|-----------------------------|
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.5X3C CU/V90/5V90 |
|------------|-----------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.5X3C CU/V90/5V90 |
|------------|-----------------------------|
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.5X3C CU/V90/5V90 |
|------------|-----------------------------|
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |



| Model | 250/440V 1.5X3C CU/V90/5V90 ORANGE |
|------------|---------------------------------------|
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 2.5X3C CU/V90/5V90 |
|------------|-----------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 2.5X3C CU/V90/5V90 |
|------------|-----------------------------|
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 2.5X3C CU/V90/5V90 |
|------------|-----------------------------|
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 2.5X3C CU/V90/5V90 |
|------------|-----------------------------|
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 4X3C CU/V90/5V90 |
|------------|---------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |



| Model | 250/440V 4X3C CU/V90/5V90 |
|------------|---------------------------|
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 4X3C CU/V90/5V90 GRE |
|------------|-------------------------------|
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 4X3C CU/V90/5V90 |
|------------|---------------------------|
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.0X4C CU/V90/5V90 |
|------------|-----------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.0X4C CU/V90/5V90 WHITE |
|------------|--------------------------------------|
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.0X4C CU/V90/5V90 |
|------------|-----------------------------|
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |

Director of Energy Safety

DATE OF APPROVAL:25 March 2018 Page: (8/14)

Rated at



| Comments | |
|------------|-----------------------------|
| | |
| Model | 250/440V 1.0X4C CU/V90/5V90 |
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| Model | 250/440V 1.5X4C CU/V90/5V90 |
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| Model | 250/440V 1.5X4C CU/V90/5V90 |
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | • |
| Model | 250/440V 1.5X4C CU/V90/5V90 |
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| Model | 250/440V 1.5X4C CU/V90/5V90 |
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| Model | 250/440V 2.5X4C CU/V90/5V90 |
| | BLACK |

Input: 250/440V, -

DATE OF APPROVAL:25 March 2018 Page: (9/14)



| Trade Name | PRYSMIAN |
|------------|------------------------------------|
| Comments | |
| | |
| | |
| Model | 250/440V 2.5X4C CU/V90/5V90 |
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| Model | 250/440V 2.5X4C CU/V90/5V90 |
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | I K I SIVIIAN |
| Comments | I |
| | |
| Model | 250/440V 2.5X4C CU/V90/5V90 |
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| Model | 250/440V 4X4C CU/V90/5V90 |
| iviodei | BLACK |
| Rated at | |
| | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| Model | 250/440V 4X4C CU/V90/5V90 |
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | 1 |
| N | 0.70/44033/433/2 233/2302/233/2 23 |
| Model | 250/440V 4X4C CU/V90/5V90 GRE |

Director of Energy Safety

DATE OF APPROVAL:25 March 2018 Page: (10/14)



| Rated at | Input: 250/440V, - |
|------------|-------------------------------|
| Trade Name | PRYSMIAN |
| Comments | |
| | ' |
| N. 1. 1 | 250/4403/433/40 CH/N/00/53/00 |
| Model | 250/440V 4X4C CU/V90/5V90 |
| D . 1 . | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| Model | 250/440V 1.0X5C CU/V90/5V90 |
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| | |
| Model | 250/440V 1.0X5C CU/V90/5V90 |
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | · |
| | |
| Model | 250/440V 1.0X5C CU/V90/5V90 |
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | · |
| Model | 250/440V 1.0X5C CU/V90/5V90 |
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | I ICI SIMILI |
| Comments | |

Model 250/440V 1.5X5C CU/V90/5V90

DATE OF APPROVAL:25 March 2018 Page: (11/14)

Director of Energy Safety

1.7. Flewion



| | BLACK |
|------------|-----------------------------|
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| Model | 250/440V 1.5X5C CU/V90/5V90 |
| | WHITE |
| Rated at | Input: 250/440V, - |
| | input. 250/110 1, |
| Trade Name | PRYSMIAN |

| Model | 250/440V 1.5X5C CU/V90/5V90 |
|------------|-----------------------------|
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 1.5X5C CU/V90/5V90 |
|------------|-----------------------------|
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 2.5X5C CU/V90/5V90 |
|------------|-----------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 2.5X5C CU/V90/5V90 |
|------------|-----------------------------|
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

Director of Energy Safety

DATE OF APPROVAL:25 March 2018 Page: (12/14)



| Model | 250/440V 2.5X5C CU/V90/5V90 |
|------------|-----------------------------|
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 2.5X5C CU/V90/5V90 |
|------------|-----------------------------|
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 4X5C CU/V90/5V90 |
|------------|---------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 4X5C CU/V90/5V90 |
|------------|---------------------------|
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 4X5C CU/V90/5V90 GRE |
|------------|-------------------------------|
| | Y |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 4X5C CU/V90/5V90 |
|------------|---------------------------|
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

Director of Energy Safety

DATE OF APPROVAL:25 March 2018 Page: (13/14)



Approval details

| Model | 250/440V 0.75x2C CU/V90/5V90 BLACK |
|------------|---------------------------------------|
| Rated at | Input: 250/440V, - |
| Trade Name | Prysmian |
| Comments | |

| Model | 250/440V 0.75x2C CU/V90/5V90 |
|------------|------------------------------|
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 0.75x2C CU/V90/5V90 GREY |
|------------|--------------------------------------|
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 0.75x2C CU/V90/5V90 |
|------------|------------------------------|
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 0.75x3C CU/V90/5V90 |
|------------|------------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 0.75x3C CU/V90/5V90 |
|-------|------------------------------|
| | WHITE |

Director of Energy Safety

DATE OF APPROVAL:22 August 2018 Page: (3/5)



| Rated at | Input: 250/440V, - |
|------------|------------------------------|
| Trade Name | PRYSMIAN |
| Comments | |
| | • |
| | |
| Model | 250/440V 0.75x3C CU/V90/5V90 |
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| Model | 250/440V 0.75x3C CU/V90/5V90 |
| Wiodei | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| | |
| Model | 250/440V 0.75x4C CU/V90/5V90 |
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | • |
| | |
| Model | 250/440V 0.75x4C CU/V90/5V90 |
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |
| | |
| Model | 250/440V 0.75x4C CU/V90/5V90 |
| 1110401 | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | I IX I SIVIII XIV |
| Comments | |

Model 250/440V 0.75x4C CU/V90/5V90

Director of Energy Safety

1. Flewion

DATE OF APPROVAL:22 August 2018 Page: (4/5)



| | ORANGE |
|------------|--------------------|
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 0.75x5C CU/V90/5V90 |
|------------|------------------------------|
| | BLACK |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 0.75x5C CU/V90/5V90 |
|------------|------------------------------|
| | WHITE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 0.75x5C CU/V90/5V90 |
|------------|------------------------------|
| | GREY |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |

| Model | 250/440V 0.75x5C CU/V90/5V90 |
|------------|------------------------------|
| | ORANGE |
| Rated at | Input: 250/440V, - |
| Trade Name | PRYSMIAN |
| Comments | |